


Z630/...


Elastomer Druckfeder, leicht
 Elastomer-compression spring, soft
 Ressort de compression en élastomère, faible

Kennfarbe: rot
 Colour code: red
 Couleur distinctive: rouge

Mat.: PUR/80 Shore A
 DIN ISO 10069-1



2



F _n	S _n	d ₄	d ₃	d ₂	d ₁	L ₀	Nr./No.				
940	4,2	26	22	6,5	16	12	Z 630/ 16x12				
900	5,6					16	16				
880	7					20	20				
860	8,7					25	25				
830	11,2					32	32				
1440	4,2					32	27	8,5	20	12	Z 630/ 20x12
1400	5,8	16	16								
1350	7	20	20								
1330	8,7	25	25								
1280	11,2	32	32								
1260	14	40	40								
2270	5,6	38	34	10,5	25					16	Z 630/ 25x16
2200	7									20	20
2160	8,7					25	25				
2090	11,2					32	32				
2050	14					40	40				
1980	17,5					50	50				
3850	5,6					48	43	13,5	32	16	Z 630/ 32x16
3740	7									20	20
3600	8,7									25	25
3440	11,2									32	32
3420	14	40	40								
3350	17,5	50	50								
6660	7	61	54	40	20					20	Z 630/ 40x20
6410	8,7									25	25
6190	11,2									32	32
6010	14									40	40
5870	17,5					50	50				
5760	22					63	63				



F _n	S _n	d ₄	d ₃	d ₂	d ₁	L ₀	Nr./No.				
10400	8,7	75	68	17	50	25	Z 630/ 50x 25				
9970	11,2					32	32				
9650	14					40	40				
9400	17,5					50	50				
9140	22					63	63				
8980	28					80	80				
17600	11,2	94	85	21	63	32	Z 630/ 63x 32				
16880	14					40	40				
16300	17,5					50	50				
15770	22					63	63				
15260	28					80	80				
14940	35					100	100				
28690	14					118	108	21	80	40	Z 630/ 80x 40
27500	17,5									50	50
26400	22	63	63								
25500	28	80	80								
24900	35	100	100								
24200	43,7	125	125								
46700	17,5	150	135	27	100					50	Z 630/ 100x 50
44500	22									63	63
42700	28									80	80
41500	35									100	100
40000	43,7					125	125				
73900	22					188	169	27	125	63	Z 630/ 125x 63
69500	28									80	80
66100	35									100	100
64800	43,7	125	125								
62300	56	160	160								

Z631/...

Elastomer Druckfeder, mittel
 Elastomer-compression spring, medium
 Ressort de compression en élastomère, moyenne

Kennfarbe: grün
 Colour code: green
 Couleur distinctive: verte

Mat.: PUR/90 Shore A
 DIN ISO 10069-1



Fn	Sn	d4	d3	d2	d1	L0	Nr./No.
1790	3,6	26	21	6,5	16	12	Z 631/ 16x12
1730	4,8					16	16
1690	6					20	20
1660	7,5					25	25
1590	9,6					32	32
2760	3,6	32	26	8,5	20	12	Z 631/ 20x12
2690	4,8					16	16
2590	6					20	20
2550	7,5					25	25
2450	9,6					32	32
2420	12	40	40				
4350	4,8	37	33	10,5	25	16	Z 631/ 25x16
4210	6					20	20
4140	7,5					25	25
4000	9,6					32	32
3930	12					40	40
3800	15	50	50				
7380	4,8	47	42	13,5	32	16	Z 631/ 32x16
7180	6					20	20
6900	7,5					25	25
6620	9,6					32	32
6560	12					40	40
6420	15	50	50				
12770	6	59	52		40	20	Z 631/ 40x20
12280	7,5					25	25
11870	9,6					32	32
11520	12					40	40
11250	15					50	50
11040	18,9	63	63				


Fn	Sn	d4	d3	d2	d1	L0	Nr./No.
19940	7,5	72	65	17	50	25	Z 631/ 50x 25
19110	9,6					32	32
18500	12					40	40
18000	15					50	50
17530	18,9					63	63
17220	24	80	80				
33740	9,6	91	82		63	32	Z 631/ 63x 32
32360	12					40	40
31260	15					50	50
30220	18,9					63	63
29260	24					80	80
28640	30	100	100				
55000	12	114	104	21	80	40	Z 631/ 80x 40
52700	15					50	50
50600	18,9					63	63
49000	24					80	80
47700	30					100	100
46400	37,5	125	125				
89500	15	145	130		100	50	Z 631/ 100x 50
85400	18,9					63	63
82000	24					80	80
79600	30					100	100
76600	37,5					125	125
142000	18,9	182	163	27	125	63	Z 631/ 125x 63
133000	24					80	80
127000	30					100	100
124000	37,5					125	125
119000	48					160	160

Z632/...


Elastomer Druckfeder, stark
 Elastomer-compression spring, hard
 Ressort de compression en élastomère, forte

Kennfarbe: hellbraun
 Colour code: light brown
 Couleur distinctive: clair

Mat.: PUR/96 Shore A
 DIN ISO 10069-1



2



F _n	S _n	d ₄	d ₃	d ₂	d ₁	L ₀	Nr./No.
2260	3	26	20	6,5	16	12	Z632/16x12
2150	4					16	16
2130	5					20	20
2080	6,2					25	25
2000	8					32	32
3470	3	32	25	8,5	20	12	Z632/20x12
3390	4					16	16
3260	5					20	20
3210	6,2					25	25
3080	8					32	32
3040	10					40	40
5470	4	36	31	10,5	25	16	Z632/25x16
5290	5					20	20
5210	6,2					25	25
5030	8					32	32
4950	10					40	40
4770	12,5	50	50				
9290	4	47	40	13,5	32	16	Z632/32x16
9030	5					20	20
8680	6,2					25	25
8330	8					32	32
8250	10					40	40
8070	12,5	50	50				
16060	5	57	50		40	20	Z632/40x20
15450	6,2					25	25
14930	8					32	32
14500	10					40	40
14150	12,5					50	50
13890	15,7	63	63				

F _n	S _n	d ₄	d ₃	d ₂	d ₁	L ₀	Nr./No.
25090	6,2	69	62	17	50	25	Z632/ 50x 25
24040	8					32	32
23260	10					40	40
22650	12,5					50	50
22050	15,7					63	63
21660	20	80	80				
42450	8	84	78		63	32	Z632/ 63x 32
40700	10					40	40
39300	12,5					50	50
38020	15,7					63	63
36800	20					80	80
36020	25	100	100				
69180	10	109	99	21	80	40	Z632/ 80x 40
66300	12,5					50	50
63700	15,7					63	63
61600	20					80	80
60000	25					100	100
58300	31,2	125	125				
112600	12,5	139	124		100	50	Z632/100x 50
107400	15,7					63	63
103000	20					80	80
100000	25					100	100
96300	31,2					125	125
178000	15,7	174	155	27	125	63	Z632/125x 63
167000	20					80	80
159000	25					100	100
156000	31,2					125	125
150000	40					160	160